

医用生物力学

YIYONG SHENGWU LIXUE

双月刊 1986年6月创刊 第29卷 第2期 2014年4月出版



[期刊基本参数] CN 31-1624/R * 1986 * b * A4 * 96 * zh * P * ¥15.00 * 2000 * 15 * 2014-04

主管
中华人民共和国教育部
主办
上海交通大学
承办
上海交通大学医学院附属
第九人民医院
编辑
《医用生物力学》编辑委员会
编辑部
地址 上海市制造局路639号
邮编 200011
电话 (021)23271133
传真 (021)63137020
电子邮件
shengwulixue@gmail.com

网址
<http://www.medbiomechanics.com>
<http://www.mechanobiology.cn>
微博
<http://weibo.com/u/2040064195>
广告部 水汶

主编
戴尅戎
副主编
郑诚功 樊瑜波 姜宗来
龙勉 秦岭 许世雄
编辑部主任
于志锋
E-mail: zhifengyu@gmail.com

责任编辑
徐绮
E-mail: 1534340082@qq.com

英文编辑
徐绮 吴晓芸

出版
《医用生物力学》编辑部
印刷
上海市图宇印刷有限公司
国内发行
上海市报刊发行局
国外总发行
中国国际图书贸易总公司

订购
全国各地邮局
邮发代号 4-633

定价
每期:15.00元 全年90.00元
中国统一连续出版物号
CN 31-1624/R
国际标准连续出版物号
ISSN 1004-7220
CODEN YSLIBU

广告经营许可证
3100120050036

©2014年版权归《医用生物力学》编辑部所有

目次

论著

- PVP/PVA水凝胶力学性能的分子动力学模拟
..... 汪焰恩,魏庆华,杨明明,等(99)
- 人工颈椎间盘置换术与融合术的生物力学比较
..... 蒲婷,吕聪伟,颜滨,等(105)
- 顺应性测试条件对纺织人工血管径向顺应性的影响
..... 沈高天,张蔚,林婧,等(113)
- 生理水平流体剪应力对三维多孔支架中成骨细胞力学敏感性及其黏附、分化的影响
..... 张寅星,崔玉红,黄啸,等(119)
- 脊柱胸腰段骨折后路经伤椎单节段固定与常规短节段固定的力学性能比较
..... 徐桂军,马信龙,张孜,等(126)
- 基于坐应力分析的弹射座椅座垫舒适性研究
..... 李先学,丁立,王兴伟,等(131)
- 管径比对全阻塞动脉旁路移植流场的影响
..... 徐智,蒋文涛,樊瑜波,等(135)
- 关节软骨不同层区的率相关性能研究
..... 刘志动,高丽兰,张春秋,等(141)
- 改良B-T手术不同搭桥方式的血流动力学比较
..... 任晓辰,刘有军,白帆,等(146)
- 全腰椎有限元模态分析
..... 项斌,都承斐,赵美雅,等(154)
- 不同长度锁钉固定桡骨远端不稳定骨折的生物力学比较
..... 刘雄,吴卫东,荀福兴,等(161)
- 下颌角缺损修复钛板构型的拓扑优化
..... 唐志雄,李亚兰,郭维鹏,等(167)
- 基于剪切波频散超声振动的黏弹性检测系统开发
..... 郭燕荣,林浩铭,朱颖,等(174)

综述

- 整合素介导血源性转移中肿瘤细胞与宿主细胞相互作用规律研究进展
..... 赵凤龙,李莉,杨红,等(180)
- 力学影响细胞凋亡及其信号转导机制研究进展
..... 赵丹,胥春(188)

信息

《医用生物力学》杂志征稿、征订启事(153),我刊副主编樊瑜波教授当选美国医学与生物工程院会士(160),广告(封二、三)

JOURNAL OF MEDICAL BIOMECHANICS

Published bimonthly Founded in June, 1986 Volume 29 Number 2, Apr. 2014

[Journal Basic Information] CN 31-1624/R * 1986 * b * A4 * 96 * zh * P * ¥15.00 * 2000 * 15 * 2014-04

Supervised by

Ministry of Education of
People's Republic of China

Sponsored by

Shanghai Jiao Tong University

Organized by

Shanghai Ninth People's Hospital,
Shanghai Jiao Tong University
School of Medicine

Edited by

Editorial Board of
Journal of Medical Biomechanics

Editorial Office

No. 639 Zhizaoju Rd.,
Shanghai 200011, China

Tel: + 86 21 23271133

Fax: + 86 21 63137020

E-mail: shengwulixue@gmail.com

Website:

<http://www.medbiomechanics.com>

<http://www.mechanobiology.cn>

Microblog:

<http://weibo.com/u/2040064195>

Advertising division: SHUI Wen

Editor-in-Chief

DAI Ke-rong

Associate Editors-in-Chief

CHENG Cheng-kung JIANG Zong-lai

FAN Yu-bo LONG Mian

QIN Ling XU Shi-xiong

Editorial Director

YU Zhi-feng

E-mail: zhifengyu@gmail.com

Executive Editor

XU Qi

E-mail: 1534340082@qq.com

English Editor

XU Qi WU Xiao-yun

Published by

Editorial Office of
Journal of Medical Biomechanics

Printed by

Shanghai Tuyu Printing Co., Ltd

Overseas Distributor

China International Book

Trading Cooperation

Standard Serial Number

ISSN 1004-7220

CN 31-1624/R

CODEN YSLIBU

Subscription

Yearly Subscription Rates: 90.00 RMB

Single Issue: 15.00 RMB

Advertising Management License Number

3100120050036

Copyright © 2014 by the Editorial

Board of Journal of Medical Biomechanics

Contents

Original Articles

Molecular dynamics simulation on mechanical properties of PVP/PVA

..... WANG Yan-en, WEI Qing-hua, YANG Ming-ming, et al(99)

In vitro study on biomechanical comparison between cervical arthroplasty and fusion

..... PU Ting, LÜ Cong-wei, YAN Bin, et al(105)

Effects of testing conditions on radial compliance of textile vascular prostheses

..... SHEN Gao-tian, ZHANG Wei, LIN Jing, et al(113)

Effects of shear stress at physiological level on mechanical sensitivity, adhesion and differentiation of MC3T3-E1 cells in three-dimensional porous scaffold

..... ZHANG Yin-xing, CUI Yu-hong, HUANG Xiao, et al(119)

Biomechanical comparison of monosegmental and short transpedicular fixation for stabilization of thoracolumbar fractures

..... XU Gui-jun, MA Xin-long, ZHANG Tao, et al(126)

Comfort analysis on ejection seat cushion based on sitting pressure

..... LI Xian-xue, DING Li, WANG Xing-wei, et al(131)

The influence of graft-host diameter ratio on flow fields in fully-occluded artery bypass graft

..... XU Zhi, JIANG Wen-tao, FAN Yu-bo, et al(135)

Loading rate-dependent property of different layers for articular cartilage

..... LIU Zhi-dong, GAO Li-lan, ZHANG Chun-qiu, et al(141)

Hemodynamics-based numerical comparison between two options of modified B-T shunt

..... REN Xiao-chen, LIU You-jun, BAI Fan, et al(146)

Modal analysis of human lumbar spine using finite element method

..... XIANG Pin, DU Cheng-fei, ZHAO Mei-ya, et al(154)

Biomechanical comparison of unstable distal radius fractures fixed by locking screws with different length

..... LIU Xiong, WU Wei-dong, XUN Fu-xing, et al(161)

Topology optimization on configuration of titanium reconstruction plate for bridging mandibular angle defect

..... TANG Zhi-xiong, LI Ya-lan, GUO Wei-peng, et al(167)

Development of ultrasonic viscoelasticity detection system by shear wave dispersion ultrasound vibration

..... GUO Yan-rong, LIN Hao-ming, ZHU Ying, et al(174)

Review Articles

Integrin-mediated tumor cell-host cell interaction during hematogenous metastasis and their regulatory mechanisms

..... ZHAO Feng-long, LI Li, YANG Hong, et al(180)

Advances in force-affected cell apoptosis and its signal pathways

..... ZHAO Dan, XU Chun(188)

News and Announcement

..... (153), (160)